



Metastatic Breast Cancer

• What is metastatic cancer?

• What's the approach to therapy?

• Where are we going?



MBC terminology

- Primary
- Recurrent
- Metastasis
- local metastasis
- distant metastasis
- Staging Stage 1, Stage 2Stage 3, Stage 4



MBC


- ER/PR
- HER 2
- Adenocarcinoma
- Ductal carcinoma
- Lobular carcinoma




MBC

- Chemotherapy
- Hormonal therapy
- Targeted therapy
- Radiation therapy
- Surgical therapy
















Life of a Cancer Cell

Nourish itself

- Break away from its home
- Travel in blood stream
- Set up housekeeping in another organ
- Nourish itself there



How does it do that?



Location of metastases

Local Metastases

Distant Metastases lung, liver, bone,



Biopsy

- Why repeat the biopsy?
- to be sure of diagnosis
- to recheck the ER/PR, HER 2



Local Recurrence

- Recurrence in a breast
- Recurrence in skin or nodes after mastectomy



Local Recurrence

Recurrence in breast – mastectomy

 Recurrence after mastectomy – surgical resection, then radiation

 Recurrence after mastectomy and radiation, surgically resection



Local Resection

 Whether lumpectomy, or mastectomy or mastectomy with radiation – after the appropriate local resection, consider ADJUVANT systemic therapy again




MBC Bone Metastases











MBC – Distant Metastases

- Bone metastases
- Therapy We want to consider a bone strengthener
- We may want to consider radiation therapy
- We will want to consider systemic therapy, which may be chemo or antiestrogen or targeted therapy depending on tumor characteristics



MBC Bone Metastases

- Bone strengthener
- Bisphosphonates Aredia, Zometa
- These are in the same family of meds used for osteoporosis
- 2 years at least
- ONJ osteonecrosis of jaw



MBC

Xgeva (Denosumab)


- Compared to Zometa and slightly better
- Given subQ
- Also used for osteoporosis
- ONJ



MBC

- Lung mets
- shortness of breath/chest pain
- Liver mets
- nausea/lack of appetite/abdominal pain
- Brain mets
- headaches/dizziness/confusion























FIGURE 11: Galotimen-entered HM soor denominating multiple from managers. Note the ediena surrounding such lesion.



Systemic Therapy

- Chemotherapy
- Hormonal Therapy
- Targeted Therapy



Chemotherapy

Adriamycin

Taxol

Gemzar

Xeloda

Ixempra

Abraxane

Cytoxan

Taxotere

Navelbine

Methotrexate

Eribulin



Hormonal Therapy

- Antiestrogen Therapy Endocrine Therapy
- Tamoxifen
- Aromatase Inhibitors

Arimidex (Anastrozole)

Femara (Letrozole)

Aromasin (Exemestane)

Faslodex



Hormonal Therapy

- Androgens
- Megace
- Lupron
- High Dose ERT
- BSO (bilateral ovary removal)



HER 2 Therapy


- Herceptin (Trastuzumab)
- Pertuzumab
- Kadcyla



Kadcyla

Antibody Drug Conjugate







Targeted Therapy

- Herceptin
- Avastin
- PARP inhibitors
- Everolimus



Everolimus

 An M-TOR inhibitor (a step in one of the pathways)



4 New Things

- Adjuvant systemic treatment (usually antiestrogen) after local therapy
- Pertuzumab
- Kadcyla
- Everolimus plus antiestrogen



Currently being studied

PARP inhibitors









Let's find a cure now...

So our daughters won't have to







You are not alone.



Thank You